

SPRADLING®
For the long run

Fractal™



SUSTAINABLE PRODUCT PROFILE

Attributes Heavy Metal Free PFAS Free

Seals we contribute to Leed Well

Sustainable manufacturing certifications



Compliances



No Stitch, No Problem

Introducing Fractal: Quilted Look, Seamless Durability

In the world of outdoor performance fabrics, innovation rarely looks this good. Enter Fractal — a cutting-edge coated faux leather that brings the beauty of stitched design without a single thread in sight.

Engineered with a diamond-patterned faux stitch, Fractal delivers the classic, quilted look that designers and fabricators love, without the hassle—or the holes. That means no water seepage, no extra quilting steps, and no compromises.

And because Fractal is as tough as it is good-looking, it's built to withstand the elements. Rain or shine, it holds up beautifully, making it a go-to material for outdoor seating of all kinds.

So if you're looking to save time, boost style, and ditch the stitching, Fractal is your new favorite finish.



Fractal Color Palette

PERMABLOK®
ADVANCED PROTECTION PLUS+


HEAVY
METAL FREE

PFAS
FREE

Download images



FRC-8410
BRITE WHITE



FRC-8403
KHAKI




FRC-8404
SAND DOLLAR




FRC-8405
TRUFFLE



FRC-8401
COGNAC




FRC-8406
AUSTER



FRC-8407
FLINT



FRC-8402
SAPPHIRE



FRC-8408
PORCELAIN



FRC-8409
EBONY


León Color Palette

PERMABLOK[®]
ADVANCED PROTECTION **PLUS+**

HEAVY  **METAL FREE**

PFAS  **FREE**

[Download images](#)



078686
BRITE WHITE




078691
KHAKI




078693
SAND DOLLAR




078690
TRUFFLE



078499
COGNAC



078694
AUSTER




078689
FLINT



078500
SAPPHIRE



078687
PORCELAIN



078152
EBONY

Technical data sheet

Composition	Fractal	León
100% Polyester Backing	•	•
Weight (oz.)	26	26
Roll Size (yd.)	30	30
Roll Width (in.)	54	54
Flame Retardancy**		
California T.B. 117 - 2013	•	•
FMVSS 302	•	•
IMO FTP 2010	•	
Code MSC.307(88), Part 8, 3.1 & 3.2		
NFPA 260 - Cover Fabric - Class I	•	•
UFAC Fabric - Class I	•	•

**This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

Finishes and Characteristics

	•	•
Anti-Static ASTM D-257	•	•
Mildew Resistant ASTM G21	•	•
UV Stabilized Pigments QUV: ASTM D-4329 / CFFA-2 c2 650 Hours	•	•
Cold Crack - CFFA-6a	-10°F	-10°F
Abrasion - CFFA-1a,ASTM D-4157 Wyzenbeek #10 Cotton Duck	75k	100k

Applications:



AUTOMOTIVE | RV



HOSPITALITY



CORPORATE



MARINE



EDUCATION



PUBLIC SPACES



HEALTHCARE



RESIDENTIAL



This fabric meets or exceeds these ACT performance guidelines

*Certification Marks owned by ATC



CLEANING GUIDE

Scan for cleaning instructions

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.

Fractal™ is a trademark of Spradling Holdings, Inc.
León™ is a trademark of Spradling Holdings, Inc.
Permablok® Plus+ is a registered trademark of Spradling Holdings, Inc.
©2025 Spradling International, Inc.

SPRADLING®
For the long run

www.spradling.group